



കേരള ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ലോക്കൽ അഡ്മിനിസ്ട്രേഷൻ

മുളങ്കുന്നത്തുകാവ് പി.ഒ., തൃശ്ശൂർ-680 581

നമ്പർ : 2017/101/1527

തീയതി : ..05.2017

കൊട്ടേഷൻ നോട്ടീസ്

കേരള ഇൻസ്റ്റിറ്റ്യൂട്ട് ഓഫ് ലോക്കൽ അഡ്മിനിസ്ട്രേഷൻ (കില) ഹെൽപ്പ്ഡെസ്ക് മുറിയുടെ നവീകരണവുമായി ബന്ധപ്പെട്ട് ഈ ക്വട്ടേഷൻ നോട്ടീസിനോടൊപ്പമുള്ള അനൗദ്യോഗിക പഠത്തിലിരിക്കുന്ന ജോലികൾ ചെയ്യുന്നതിന് ഡീലർമാർ/കോൺട്രാക്ടർ/വ്യക്തികൾ എന്നിവരിൽ നിന്നും ക്വട്ടേഷൻ ക്ഷണിക്കുന്നു.

നിബന്ധകളും നിർദ്ദേശങ്ങളും

1. ഇനം തിരിച്ചുള്ള തുക, ടാക്സ്, ഫിറ്റിംഗ് ചാർജ്ജ്, ഗതാഗതം എന്നിവ ഉൾപ്പെടെയുള്ള തുകയാണ് രേഖപ്പെടുത്തേണ്ടത്.
2. ഓരോ ഇനത്തിന്റെയും ഗാരന്റി കാലയളവ് പ്രത്യേകം രേഖപ്പെടുത്തേണ്ടതാണ്.
3. മേൽ ജോലികൾ ഏറ്റെടുത്ത് ചെയ്യുന്നതിന് താല്പപര്യമുള്ള വ്യക്തികൾക്ക് ക്വട്ടേഷൻ സമർപ്പിക്കുന്നതിന് മുൻപ് ഓഫീസ് സമയത്ത് പ്രസ്തുത സ്ഥലം സന്ദർശിക്കാവുന്നതാണ്.
4. ക്വട്ടേഷൻ അംഗീകരിച്ച് കിലയിൽ നിന്ന് വർക്ക് ഓർഡർ ലഭിച്ചാൽ 10 ദിവസത്തിനകം ജോലികൾ പൂർത്തിയാക്കേണ്ടതാണ്.
5. ക്വട്ടേഷനുകൾ സ്വീകരിക്കുന്നതിനും നിരസിക്കുന്നതിനും കാരണം കാണിക്കാതെ നിരസിക്കുന്നതിനും മുള്ള അധികാരം കില ഡയറക്ടറിൽ നിക്ഷിപതമായിരിക്കുന്നതാണ്.
6. ക്വട്ടേഷനുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 20.05.2017 (ശനിയാഴ്ച) വൈകീട്ട് 03.30. ക്വട്ടേഷനുകൾ അന്നേ ദിവസം 04.00 മണിക്ക് സമ്മിഹിതരായിരിക്കുന്നവരുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതുമായിരിക്കും.
7. ക്വട്ടേഷനുകൾ “ഡയറക്ടർ, കില, മുളങ്കുന്നത്തുകാവ് പി.ഒ, തൃശ്ശൂർ 680581” എന്ന വിലാസത്തിൽ എത്തിക്കേണ്ടതാണ്. കവറിനു മുകളിൽ “കില-ഹെൽപ്പ് ഡെസ്ക് മുറിയുടെ നവീകരണം” എന്ന് രേഖപ്പെടുത്തേണ്ടതുമാണ്.
8. മേൽ ജോലികൾ സമയബന്ധിതമായി പൂർത്തിയാക്കുന്ന മുറയ്ക്ക് മാത്രമേ പണം അനുവദിച്ചു നൽകുകയുള്ളൂ.

ഡയറക്ടർ

പകർപ്പ്

1. കില നോട്ടീസ് ബോർഡ്
2. കില വെബ് സൈറ്റ്

Document 2017/101/5333 - GENERAL - File No. 2017/101/1527 Approved by Director on 11/05/2017 13:09:02

http://www.kila.ac.in kNw1-BFH-ogFH-l imrN



KILA, Mulankunnathukavu, Thrissur

RENOVATION AND INSTALLATION OF ALUMINIUM DOOR TO THE HELP DESK ROOM IN KILA

Sl. No	Code	Description of work	Quantity	unit	rate	amount
1	21.1.1.3	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitted and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron) for fixed portion	8.00	kg		
2	21.1.2.3	For shutters of doors, windows and ventilators including providing and fixing hinges/ pivots and making provisions for fixing of fittings where ever required including cost of EPDM rubber/Neoprene gasket required (fittings shall be paid separately). Polyester powder coated aluminium(minimum thickness of powder coating 50 microns)	15.00	kg		
3	21.2.2	Providing and fixing 12mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides.	1.40	m ²		

4	21.3.2	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness	1.40	m ²
5	21.4.2	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge. With brass cover plate minimum 1.25 mm thickness.	1.00	No
6	9.84	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000mm) with double speed adjustment with necessary accessories and screws etc. complete.	1.00	No
7	9.82	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.	1.00	No
8	1.103	Providing and fixing bright finished brass 100 mm mortice latch and lock ISI marked with six levers and a pair of anodised (anodic coating not less than grade AC 10 as per IS : 1868) aluminium lever handles of approved quality with necessary screws etc., complete.	1.00	No
9	9.92.1	Providing and fixing chromium plated brass handle with necessary screws etc complete, 125mm size	2.00	Nos
10	14.43	Removing white or colour wash by scraping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	10	m ²

11	14.53.1	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre. of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coats.	65	m ²
12	14.54	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	15	m ²
13		Engaging man Beldar for vacuuming and cleaning the room. L.S unforeseen works	2	E
		Add service tax 10.5%		